

In re: Bentley *et al.*  
Appl No.: 10/071,469  
Filed: February 8, 2002  
Page 2

Amendments to the Claims:

1. (Currently Amended) A polymer composition, comprising a mixture of a polymer derivative having the structure R-O-POLY-R' and a polymer derivative having the structure R-O-POLY-O-R, wherein POLY is a water-soluble and non-peptidic polymer, R is alkyl, and R' is a functional group,

wherein POLY is a poly(alkylene glycol) ~~poly(alkylene glycol)~~, and

wherein R' is selected from the group consisting of hydroxyl, mesylate, tosylate, tresylate, -O-CO<sub>2</sub>R<sub>3</sub> wherein R<sub>3</sub> is H, alkyl or N-succinimidyl, -O-(CH<sub>2</sub>)<sub>n</sub>-CO<sub>2</sub>R<sub>3</sub> wherein n is 1-6 and R<sub>3</sub> is H, alkyl or N-succinimidyl, -NHR<sub>4</sub> wherein R<sub>4</sub> is H or alkyl or an amine protecting group, -O-(CH<sub>2</sub>)<sub>n</sub>-CH(ZR<sub>5</sub>)<sub>2</sub> wherein n is 1-6, and Z is O or S, R<sub>5</sub> is H or alkyl, Ar-CH=CH-CH=CH-CO<sub>2</sub>-, wherein Ar represents a moiety selected from the group consisting of phenyl, substituted phenyl, biphenyl, substituted biphenyl, polycyclic aryls, substituted polycyclic aryls, and heterocyclic aryls, -O-(CH<sub>2</sub>)<sub>n</sub>-CHO wherein n is 1-6, -O<sub>2</sub>CCH<sub>2</sub>CH<sub>2</sub>CO<sub>2</sub>R<sub>6</sub>, wherein R<sub>6</sub> is H or N-succinimidyl, CH<sub>2</sub>=CH-CO<sub>2</sub>-, and -O-CH<sub>2</sub>-CO<sub>2</sub>CH(CH<sub>3</sub>)CH<sub>2</sub>CO<sub>2</sub>-NHS, wherein NHS is N-succinimidyl.

2. (Cancelled)

3. (Original) The polymer composition of Claim 1, wherein POLY is poly(ethylene glycol).

4. (Original) The polymer composition of Claim 3, wherein POLY has the formula -CH<sub>2</sub>CH<sub>2</sub>-O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>n</sub>-CH<sub>2</sub>CH<sub>2</sub>-, where n is from about 8 to about 4000.

5. (Original) The polymer composition of Claim 1, wherein R is methyl.

6. (Cancelled)

7. (Original) The polymer composition of Claim 1, wherein R' is hydroxyl.

In re: Bentley *et al.*  
Appl No.: 10/071,469  
Filed: February 8, 2002  
Page 3

---

8. (Original) The polymer composition of Claim 1, wherein R' is -O-CO<sub>2</sub>R<sub>3</sub> or -O-(CH<sub>2</sub>)<sub>n</sub>-CO<sub>2</sub>R<sub>3</sub>, wherein n is 1-6 and R<sub>3</sub> is H, alkyl or N-succinimidyl.
9. (Original) The polymer composition of Claim 8, wherein R<sub>3</sub> is N-succinimidyl.
10. (Original) The polymer composition of Claim 1, wherein R' is -O-(CH<sub>2</sub>)<sub>n</sub>-CHO wherein n is 1-6.
11. (Previously Presented) The polymer composition of Claim 1, wherein R' is -O-(CH<sub>2</sub>)<sub>n</sub>-CH(ZR<sub>5</sub>)<sub>2</sub> wherein n is 1-6, Z is O or S, and R<sub>5</sub> is H or alkyl.
12. (Original) The polymer composition of Claim 1, wherein POLY is poly(ethylene glycol), R is methyl, and R' is -O-(CH<sub>2</sub>)<sub>n</sub>-CHO wherein n is 2.
13. (Original) The polymer composition of Claim 12, wherein POLY has the formula -CH<sub>2</sub>CH<sub>2</sub>-O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>n</sub>-CH<sub>2</sub>CH<sub>2</sub>-, where n is from about 8 to about 4000.
14. (Original) The polymer composition of Claim 1, wherein POLY is poly(ethylene glycol), R is methyl, and R' is hydroxyl.
15. (Original) The polymer composition of Claim 14, wherein POLY has the formula -CH<sub>2</sub>CH<sub>2</sub>-O-(CH<sub>2</sub>CH<sub>2</sub>O)<sub>n</sub>-CH<sub>2</sub>CH<sub>2</sub>-, where n is from about 8 to about 4000.
16. (Currently Amended) A polymer composition, comprising a polymer derivative having the structure R-O-POLY-R' and a polymer derivative having the structure R-O-POLY-O-R, wherein POLY is a water-soluble and non-peptidic polymer, R is alkyl and R' is -O-(CH<sub>2</sub>)<sub>n</sub>-CHO or -O-(CH<sub>2</sub>)<sub>n</sub>-CH(ZR<sub>5</sub>)<sub>2</sub> wherein n is 1-6, Z is O or S, and R<sub>5</sub> is H or alkyl, in the absence of HO-POLY-OH, and wherein POLY is a poly(alkylene glycol) poly(alkylene glycols).
17. (Cancelled).

R1A01/2171303v1

In re: Bentley *et al.*  
Appl No.: 10/071,469  
Filed: February 8, 2002  
Page 4

---

18. (Original) The polymer composition of Claim 16, wherein POLY is poly(ethylene glycol).

19. (Original) The polymer composition of Claim 18, wherein POLY has the formula  $-\text{CH}_2\text{CH}_2-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_n-\text{CH}_2\text{CH}_2-$ , where  $n$  is from about 8 to about 4000.

20. (Original) The polymer composition of Claim 16, wherein R is methyl.

21 - 26 (Cancelled)

27. (Original) The polymer composition of Claim 16, wherein POLY is poly(ethylene glycol), R is methyl, and  $\text{R}'$  is  $-\text{O}-(\text{CH}_2)_n-\text{CHO}$ , wherein  $n$  is 2.

28. (Original) The polymer composition of Claim 27, wherein POLY has the formula  $-\text{CH}_2\text{CH}_2-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_n-\text{CH}_2\text{CH}_2-$ , where  $n$  is from about 8 to about 4000.

29. (Previously presented) The polymer composition of Claim 16, wherein POLY is poly(ethylene glycol) and R is methyl.

30. (Original) The polymer composition of Claim 29, wherein POLY has the formula  $-\text{CH}_2\text{CH}_2-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_n-\text{CH}_2\text{CH}_2-$ , where  $n$  is from about 8 to about 4000.

31 - 50 (Cancelled)